

Wild Food Harvests in Alaska,
Nutritional Contributions
Sorted by Harvest and by Place

(Source: Robert J. Wolfe, Division of Subsistence, ADF&G)

SORTED BY HARVEST

Place	Survey Year	Annual Wild Food Harvest (Lbs Per Person)	Daily Wild Food Harvest (Lbs Per Person)	Percent of Recommended Dietary Allowance of Protein (49 g of protein per day, or .424 lbs of wild food per day)
Fairbanks	92	16.0	0.044	10%
Anchorage	92	19.4	0.053	13%
Mat-Su Area	92	26.8	0.073	17%
Ketchikan	92	33.4	0.092	22%
Juneau	92	34.5	0.095	22%
Skagway	87	48.1	0.132	31%
Seward	Est	52.1	0.143	34%
Talkeetna	85	55.1	0.151	36%
Parks Highway South	85	58.0	0.159	37%
Trapper Creek	85	65.4	0.179	42%
Valdez	93	79.5	0.218	51%
Whittier	90	79.9	0.219	52%
Delta Junction	Est	80.4	0.220	52%
Kenai	93	83.8	0.230	54%
Ninilchik	82	85.5	0.234	55%
Cooper Landing	90	91.5	0.251	59%
West Glenn Highway	87	91.8	0.252	59%
Homer	82	93.8	0.257	61%
Hope	90	110.7	0.303	72%
Dot Lake	87	115.6	0.317	75%
Cordova	93	127.8	0.350	83%
Healy	87	132.1	0.362	85%
Anderson	87	139.2	0.381	90%
East Glenn-Lk Louise	87	139.5	0.382	90%
Copper Basin Area	87	148.5	0.407	96%
Tok	87	149.2	0.409	96%
Kodiak City	93	151.1	0.414	98%
Manley Hot Springs	Est	151.2	0.414	98%
Wrangell	87	155.2	0.425	100%
Central	Est	160.2	0.439	104%
Kodiak Road	91	168.1	0.461	109%
Eagle	Est	171.3	0.469	111%
Gold Creek	86	173.9	0.476	112%
Hurricane-Broad Pass	86	177.9	0.487	115%
Whale Pass	87	179.1	0.491	116%
Kake	96	179.3	0.491	116%
Kasaan	87	181.6	0.498	117%
McGrath	84	181.9	0.498	118%
Hollis	87	182.7	0.501	118%
Coffman Cove	87	183.4	0.502	119%
Seldovia	93	183.6	0.503	119%

Place	Survey Year	Annual Wild Food Harvest (Lbs Per Person)	Daily Wild Food Harvest (Lbs Per Person)	Percent of Recommended Dietary Allowance of Protein (49 g of protein per day, or .424 lbs of wild food per day)
Craig	87	185.4	0.508	120%
Naknek	83	188.2	0.516	122%
Thorne Bay	87	189.0	0.518	122%
Unalaska	94	194.5	0.533	126%
Haines	96	195.6	0.536	126%
Petersburg	87	197.7	0.542	128%
Circle	Est	199.8	0.547	129%
Sitka	96	205.6	0.563	133%
Chase	86	209.2	0.573	135%
Chignik Lagoon	89	211.4	0.579	137%
Port Graham	93	212.3	0.582	137%
Tetlin	87	213.9	0.586	138%
Chiniak	82	217.2	0.595	140%
Ouzinkie	93	218.4	0.598	141%
King Salmon	83	220.3	0.604	142%
Angoon	96	223.5	0.612	144%
Nome	Est	240.0	0.658	155%
Gustavus	87	240.8	0.660	156%
McKinley Park Village	87	242.0	0.663	156%
Dillingham	84	242.2	0.664	157%
Klawock	87	246.6	0.676	159%
Tanacross	87	249.9	0.685	161%
Sand Point	92	255.7	0.701	165%
King Cove	92	256.1	0.702	165%
Nelson Lagoon	87	257.6	0.706	166%
Tyonek	83	259.9	0.712	168%
Bettles-Evansville	82	260.0	0.712	168%
Bethel	Est	261.0	0.715	169%
Elfin Cove	87	262.5	0.719	170%
Saint Paul	94	267.5	0.733	173%
Karluk	91	268.7	0.736	174%
Tatitlek	93	270.1	0.740	175%
Cheneg Bay	93	275.2	0.754	178%
Northway	87	278.1	0.762	180%
Point Baker	96	288.4	0.790	186%
Barrow	89	289.2	0.792	187%
South Naknek	92	296.8	0.813	192%
Nanwalek	93	304.9	0.835	197%
Port Alexander	87	311.7	0.854	201%
Alexander Creek	84	312.0	0.855	202%
Akhiok	92	321.7	0.881	208%
Takotna	Est	327.2	0.896	211%
Tenakee Springs	87	329.9	0.904	213%
Port Lions	93	331.5	0.908	214%
Hydaburg	87	336.4	0.922	217%
Hyder	87	345.3	0.946	223%
Pelican	87	355.1	0.973	229%
Chignik Bay	91	357.5	0.979	231%

Place	Survey Year	Annual Wild Food Harvest (Lbs Per Person)	Daily Wild Food Harvest (Lbs Per Person)	Percent of Recommended Dietary Allowance of Protein (49 g of protein per day, or .424 lbs of wild food per day)
Port Alsworth	83	361.1	0.989	233%
Clark's Point	89	363.0	0.994	235%
Galena	85	368.0	1.008	238%
Hoonah	96	370.5	1.015	239%
Aleknagik	89	379.3	1.039	245%
Lake Minchumina	Est	380.6	1.043	246%
Pilot Point	87	383.7	1.051	248%
Manokotak	85	384.1	1.052	248%
Egegik	84	384.3	1.053	248%
Portage Creek	Est	387.4	1.061	250%
Togiak	Est	388.0	1.063	251%
Old Harbor	91	391.0	1.071	253%
Perryville	89	394.3	1.080	255%
Yakutat	87	397.8	1.090	257%
Sleetmute	83	402.1	1.102	260%
Port Heiden	87	407.6	1.117	263%
Ruby	Est	411.5	1.128	266%
False Pass	88	412.5	1.130	267%
Meyers Chuck	87	413.9	1.134	267%
Tanana	Est	438.4	1.201	283%
Atka	94	439.3	1.204	284%
Chignik Lake	91	442.4	1.212	286%
Nikolai	84	450.0	1.233	291%
Larsen Bay	93	451.0	1.236	291%
Port Protection	96	454.8	1.246	294%
Beaver	85	457.0	1.252	295%
Noatak	94	461.1	1.263	298%
Shageluk	Est	462.0	1.266	299%
Akutan	90	466.1	1.277	301%
Nulato	Est	472.9	1.296	306%
Edna Bay	87	478.9	1.312	309%
Holy Cross	Est	482.4	1.322	312%
Ivanof Bay	89	489.8	1.342	316%
Stony River	Est	490.4	1.343	317%
Grayling	Est	491.9	1.348	318%
Anvik	Est	502.0	1.375	324%
Kotlik	80	502.6	1.377	325%
Kaltag	Est	506.8	1.389	328%
Rampart	Est	512.6	1.404	331%
Chalkyitsik	Est	514.0	1.408	332%
Point Hope	Est	514.9	1.411	333%
Arctic Village	Est	521.1	1.428	337%
Atqasuk	Est	525.6	1.440	340%
Venetie	Est	532.9	1.460	344%
Koyukuk	Est	533.9	1.463	345%
Allakaket-Alatna	82	540.0	1.479	349%
Anaktuvuk Pass	Est	565.1	1.548	365%
Hughes	82	567.0	1.553	366%

Place	Survey Year	Annual Wild Food Harvest (Lbs Per Person)	Daily Wild Food Harvest (Lbs Per Person)	Percent of Recommended Dietary Allowance of Protein (49 g of protein per day, or .424 lbs of wild food per day)
Stevens Village	84	578.0	1.584	373%
Brevig Mission	89	579.4	1.587	374%
Minto	84	585.0	1.603	378%
Kotzebue	91	592.8	1.624	383%
Huslia	83	598.0	1.638	386%
Klukwan	96	598.4	1.639	387%
Golovin	89	604.5	1.656	391%
Unalakleet	Est	608.8	1.668	393%
Emmonak	80	612.2	1.677	396%
Aniak	Est	616.2	1.688	398%
Ambler	Est	626.3	1.716	405%
Kiana	Est	641.1	1.757	414%
Shungnak	Est	643.4	1.763	416%
Noorvik	Est	647.1	1.773	418%
Buckland	Est	647.8	1.775	419%
Crooked Creek	Est	652.4	1.787	422%
Saint Michael	Est	653.3	1.790	422%
Kobuk	Est	655.3	1.795	423%
White Mountain	Est	656.8	1.800	424%
Selawik	Est	658.5	1.804	425%
Shaktoolik	Est	661.8	1.813	428%
Saint Marys (Andreafsky)	Est	667.2	1.828	431%
Teller	Est	668.3	1.831	432%
Gambell	Est	670.1	1.836	433%
Deering	94	672.2	1.842	434%
Diomedede	Est	673.4	1.845	435%
Savoonga	Est	675.9	1.852	437%
Elim	Est	677.1	1.855	437%
Platinum	Est	679.9	1.863	439%
Koyuk	Est	684.6	1.876	442%
Fort Yukon	87	685.0	1.877	443%
Marshall (Fortuna Ledge)	Est	691.6	1.895	447%
Lower Kalskag	Est	698.5	1.914	451%
Napaskiak	Est	699.2	1.916	452%
New Stuyahok	87	700.4	1.919	453%
Scammon Bay	Est	700.9	1.920	453%
Mekoryuk	Est	704.2	1.929	455%
Napakiak	Est	707.2	1.938	457%
Kasigluk	Est	707.6	1.939	457%
Eek	Est	707.8	1.939	457%
Akiachak	Est	708.9	1.942	458%
Hooper Bay	Est	709.2	1.943	458%
Kongiganak	Est	709.2	1.943	458%
Tuluksak	Est	711.0	1.948	459%
Tuntutuliak	Est	713.8	1.956	461%
Pilot Station	Est	713.9	1.956	461%
Upper Kalskag	Est	715.4	1.960	462%
Kwigillingok	Est	715.7	1.961	462%

Place	Survey Year	Annual Wild Food Harvest (Lbs Per Person)	Daily Wild Food Harvest (Lbs Per Person)	Percent of Recommended Dietary Allowance of Protein (49 g of protein per day, or .424 lbs of wild food per day)
Chevak	Est	716.2	1.962	463%
Toksook Bay	Est	716.4	1.963	463%
Nightmute	Est	720.5	1.974	466%
Goodnews Bay	Est	721.2	1.976	466%
Akiak	Est	721.9	1.978	466%
Igiugig	92	724.7	1.985	468%
Alakanuk	80	725.0	1.986	468%
Atmautluak	Est	725.4	1.987	469%
Chuathbaluk	83	727.0	1.992	470%
Chefornak	Est	731.5	2.004	473%
Newtok	Est	731.7	2.005	473%
Kipnuk	Est	737.7	2.021	477%
Nondalton	81	738.0	2.022	477%
Nuiqsut	93	741.8	2.032	479%
Wales	93	744.1	2.039	481%
Newhalen	83	747.2	2.047	483%
Wainwright	89	751.2	2.058	485%
Nikolski	90	760.6	2.084	491%
Kivalina	92	761.5	2.086	492%
Quinhagak	82	767.9	2.104	496%
Shishmaref	95	792.9	2.172	512%
Ekwok	87	796.6	2.182	515%
Nunapitchuk	83	801.9	2.197	518%
Ugashik	87	814.4	2.231	526%
Mountain Village	80	820.0	2.247	530%
Koliganek	87	830.5	2.275	537%
Kwethluk	86	836.1	2.291	540%
Iliamna	91	847.6	2.322	548%
Pedro Bay	82	865.1	2.370	559%
Levelock	92	884.0	2.422	571%
Kaktovik	92	885.6	2.426	572%
Point Lay	87	890.1	2.439	575%
Stebbins	80	996.6	2.730	644%
Kokhanok	92	1013.3	2.776	655%
Tununak	86	1092.6	2.993	706%

SORTED BY PLACE

Akhiok	92	321.7	0.881	208%
Akiachak	Est	708.9	1.942	458%
Akiak	Est	721.9	1.978	466%
Akutan	90	466.1	1.277	301%
Alakanuk	80	725.0	1.986	468%
Aleknagik	89	379.3	1.039	245%
Alexander Creek	84	312.0	0.855	202%
Allakaket-Alatna	82	540.0	1.479	349%
Ambler	Est	626.3	1.716	405%
Anaktuvuk Pass	Est	565.1	1.548	365%
Anchorage	92	19.4	0.053	13%

Place	Survey Year	Annual Wild Food Harvest (Lbs Per Person)	Daily Wild Food Harvest (Lbs Per Person)	Percent of Recommended Dietary Allowance of Protein (49 g of protein per day, or .424 lbs of wild food per day)
Anderson	87	139.2	0.381	90%
Angoon	96	223.5	0.612	144%
Aniak	Est	616.2	1.688	398%
Anvik	Est	502.0	1.375	324%
Arctic Village	Est	521.1	1.428	337%
Atka	94	439.3	1.204	284%
Atmautluak	Est	725.4	1.987	469%
Atqasuk	Est	525.6	1.440	340%
Barrow	89	289.2	0.792	187%
Beaver	85	457.0	1.252	295%
Bethel	Est	261.0	0.715	169%
Bettles-Evansville	82	260.0	0.712	168%
Brevig Mission	89	579.4	1.587	374%
Buckland	Est	647.8	1.775	419%
Central	Est	160.2	0.439	104%
Chalkyitsik	Est	514.0	1.408	332%
Chase	86	209.2	0.573	135%
Chefornak	Est	731.5	2.004	473%
Chenega Bay	93	275.2	0.754	178%
Chevak	Est	716.2	1.962	463%
Chignik Bay	91	357.5	0.979	231%
Chignik Lagoon	89	211.4	0.579	137%
Chignik Lake	91	442.4	1.212	286%
Chiniak	82	217.2	0.595	140%
Chuathbaluk	83	727.0	1.992	470%
Circle	Est	199.8	0.547	129%
Clark's Point	89	363.0	0.994	235%
Coffman Cove	87	183.4	0.502	119%
Cooper Landing	90	91.5	0.251	59%
Copper Basin Area	87	148.5	0.407	96%
Cordova	93	127.8	0.350	83%
Craig	87	185.4	0.508	120%
Crooked Creek	Est	652.4	1.787	422%
Deering	94	672.2	1.842	434%
Delta Junction	Est	80.4	0.220	52%
Dillingham	84	242.2	0.664	157%
Diomedede	Est	673.4	1.845	435%
Dot Lake	87	115.6	0.317	75%
Eagle	Est	171.3	0.469	111%
East Glenn-Lk Louise	87	139.5	0.382	90%
Edna Bay	87	478.9	1.312	309%
Eek	Est	707.8	1.939	457%
Egegik	84	384.3	1.053	248%
Ekwok	87	796.6	2.182	515%
Elfin Cove	87	262.5	0.719	170%
Elim	Est	677.1	1.855	437%
Emmonak	80	612.2	1.677	396%
Fairbanks	92	16.0	0.044	10%

Place	Survey Year	Annual Wild Food Harvest (Lbs Per Person)	Daily Wild Food Harvest (Lbs Per Person)	Percent of Recommended Dietary Allowance of Protein (49 g of protein per day, or .424 lbs of wild food per day)
False Pass	88	412.5	1.130	267%
Fort Yukon	87	685.0	1.877	443%
Galena	85	368.0	1.008	238%
Gambell	Est	670.1	1.836	433%
Gold Creek	86	173.9	0.476	112%
Golovin	89	604.5	1.656	391%
Goodnews Bay	Est	721.2	1.976	466%
Grayling	Est	491.9	1.348	318%
Gustavus	87	240.8	0.660	156%
Haines	96	195.6	0.536	126%
Healy	87	132.1	0.362	85%
Hollis	87	182.7	0.501	118%
Holy Cross	Est	482.4	1.322	312%
Homer	82	93.8	0.257	61%
Hoonah	96	370.5	1.015	239%
Hooper Bay	Est	709.2	1.943	458%
Hope	90	110.7	0.303	72%
Hughes	82	567.0	1.553	366%
Hurricane-Broad Pass	86	177.9	0.487	115%
Huslia	83	598.0	1.638	386%
Hydaburg	87	336.4	0.922	217%
Hyder	87	345.3	0.946	223%
Igiugig	92	724.7	1.985	468%
Iliamna	91	847.6	2.322	548%
Ivanof Bay	89	489.8	1.342	316%
Juneau	92	34.5	0.095	22%
Take	96	179.3	0.491	116%
Kaktovik	92	885.6	2.426	572%
Kaltag	Est	506.8	1.389	328%
Karluk	91	268.7	0.736	174%
Kasaan	87	181.6	0.498	117%
Kasigluk	Est	707.6	1.939	457%
Kenai	93	83.8	0.230	54%
Ketchikan	92	33.4	0.092	22%
Kiana	Est	641.1	1.757	414%
King Cove	92	256.1	0.702	165%
King Salmon	83	220.3	0.604	142%
Kipnuk	Est	737.7	2.021	477%
Kivalina	92	761.5	2.086	492%
Klawock	87	246.6	0.676	159%
Klukwan	96	598.4	1.639	387%
Kobuk	Est	655.3	1.795	423%
Kodiak City	93	151.1	0.414	98%
Kodiak Road	91	168.1	0.461	109%
Kokhanok	92	1013.3	2.776	655%
Koliganek	87	830.5	2.275	537%
Kongiganak	Est	709.2	1.943	458%
Kotlik	80	502.6	1.377	325%

Place	Survey Year	Annual Wild Food Harvest (Lbs Per Person)	Daily Wild Food Harvest (Lbs Per Person)	Percent of Recommended Dietary Allowance of Protein (49 g of protein per day, or .424 lbs of wild food per day)
Kotzebue	91	592.8	1.624	383%
Koyuk	Est	684.6	1.876	442%
Koyukuk	Est	533.9	1.463	345%
Kwethluk	86	836.1	2.291	540%
Kwigillingok	Est	715.7	1.961	462%
Lake Minchumina	Est	380.6	1.043	246%
Larsen Bay	93	451.0	1.236	291%
Levelock	92	884.0	2.422	571%
Lower Kalskag	Est	698.5	1.914	451%
Manley Hot Springs	Est	151.2	0.414	98%
Manokotak	85	384.1	1.052	248%
Marshall (Fortuna Ledge)	Est	691.6	1.895	447%
Mat-Su Area	92	26.8	0.073	17%
McGrath	84	181.9	0.498	118%
McKinley Park Village	87	242.0	0.663	156%
Mekoryuk	Est	704.2	1.929	455%
Meyers Chuck	87	413.9	1.134	267%
Minto	84	585.0	1.603	378%
Mountain Village	80	820.0	2.247	530%
Naknek	83	188.2	0.516	122%
Nanwalek	93	304.9	0.835	197%
Napakiak	Est	707.2	1.938	457%
Napaskiak	Est	699.2	1.916	452%
Nelson Lagoon	87	257.6	0.706	166%
New Stuyahok	87	700.4	1.919	453%
Newhalen	83	747.2	2.047	483%
Newtok	Est	731.7	2.005	473%
Nightmute	Est	720.5	1.974	466%
Nikolai	84	450.0	1.233	291%
Nikolski	90	760.6	2.084	491%
Ninilchik	82	85.5	0.234	55%
Noatak	94	461.1	1.263	298%
Nome	Est	240.0	0.658	155%
Nondalton	81	738.0	2.022	477%
Noorvik	Est	647.1	1.773	418%
Northway	87	278.1	0.762	180%
Nuiqsut	93	741.8	2.032	479%
Nulato	Est	472.9	1.296	306%
Nunapitchuk	83	801.9	2.197	518%
Old Harbor	91	391.0	1.071	253%
Ouzinkie	93	218.4	0.598	141%
Parks Highway South	85	58.0	0.159	37%
Pedro Bay	82	865.1	2.370	559%
Pelican	87	355.1	0.973	229%
Perryville	89	394.3	1.080	255%
Petersburg	87	197.7	0.542	128%
Pilot Point	87	383.7	1.051	248%
Pilot Station	Est	713.9	1.956	461%

Place	Survey Year	Annual Wild Food Harvest (Lbs Per Person)	Daily Wild Food Harvest (Lbs Per Person)	Percent of Recommended Dietary Allowance of Protein (49 g of protein per day, or .424 lbs of wild food per day)
Platinum	Est	679.9	1.863	439%
Point Baker	96	288.4	0.790	186%
Point Hope	Est	514.9	1.411	333%
Point Lay	87	890.1	2.439	575%
Port Alexander	87	311.7	0.854	201%
Port Alsworth	83	361.1	0.989	233%
Port Graham	93	212.3	0.582	137%
Port Heiden	87	407.6	1.117	263%
Port Lions	93	331.5	0.908	214%
Port Protection	96	454.8	1.246	294%
Portage Creek	Est	387.4	1.061	250%
Quinhagak	82	767.9	2.104	496%
Rampart	Est	512.6	1.404	331%
Ruby	Est	411.5	1.128	266%
Saint Marys (Andreafsky)	Est	667.2	1.828	431%
Saint Michael	Est	653.3	1.790	422%
Saint Paul	94	267.5	0.733	173%
Sand Point	92	255.7	0.701	165%
Savoonga	Est	675.9	1.852	437%
Scammon Bay	Est	700.9	1.920	453%
Selawik	Est	658.5	1.804	425%
Seldovia	93	183.6	0.503	119%
Seward	Est	52.1	0.143	34%
Shageluk	Est	462.0	1.266	299%
Shaktoolik	Est	661.8	1.813	428%
Shishmaref	95	792.9	2.172	512%
Shungnak	Est	643.4	1.763	416%
Sitka	96	205.6	0.563	133%
Skagway	87	48.1	0.132	31%
Sleetmute	83	402.1	1.102	260%
South Naknek	92	296.8	0.813	192%
Stebbins	80	996.6	2.730	644%
Stevens Village	84	578.0	1.584	373%
Stony River	Est	490.4	1.343	317%
Takotna	Est	327.2	0.896	211%
Talkeetna	85	55.1	0.151	36%
Tanacross	87	249.9	0.685	161%
Tanana	Est	438.4	1.201	283%
Tatitlek	93	270.1	0.740	175%
Teller	Est	668.3	1.831	432%
Tenakee Springs	87	329.9	0.904	213%
Tetlin	87	213.9	0.586	138%
Thorne Bay	87	189.0	0.518	122%
Togiak	Est	388.0	1.063	251%
Tok	87	149.2	0.409	96%
Toksook Bay	Est	716.4	1.963	463%
Trapper Creek	85	65.4	0.179	42%
Tuluksak	Est	711.0	1.948	459%

Place	Survey Year	Annual Wild Food Harvest (Lbs Per Person)	Daily Wild Food Harvest (Lbs Per Person)	Percent of Recommended Dietary Allowance of Protein (49 g of protein per day, or .424 lbs of wild food per day)
Tuntutuliak	Est	713.8	1.956	461%
Tununak	86	1092.6	2.993	706%
Tyonek	83	259.9	0.712	168%
Ugashik	87	814.4	2.231	526%
Unalakleet	Est	608.8	1.668	393%
Unalaska	94	194.5	0.533	126%
Upper Kalskag	Est	715.4	1.960	462%
Valdez	93	79.5	0.218	51%
Venetie	Est	532.9	1.460	344%
Wainwright	89	751.2	2.058	485%
Wales	93	744.1	2.039	481%
West Glenn Highway	87	91.8	0.252	59%
Whale Pass	87	179.1	0.491	116%
White Mountain	Est	656.8	1.800	424%
Whittier	90	79.9	0.219	52%
Wrangell	87	155.2	0.425	100%
Yakutat	87	397.8	1.090	257%